

WE ARE THE WIRE MEN

For the Printing Industries


Wire for the production of archive ledgers, bingo tickets, book matches, cheque books, company accounts, exercise books, magazines, memo pads, menus, newspapers, periodicals, raffle tickets etc.

If you "stitch", we can supply the wire.

Whether you need a "mild steel" or "hard steel" our products are manufactured from the best available steel which is heat treated through a strand annealing process to achieve consistent properties, then plated using the latest technology to achieve smooth adherent coatings.

Our normal stock in trade is a polished galvanised finish which gives an effective coating with regard to appearance and corrosion resistance. Copper and Bronze metallic finishers are also available. Additionally for ultimate corrosion resistance, pure brass wire can be supplied.

If you are looking for a prestigious finish on a small run, nylon coated wire in white, black, red, green, blue or yellow is available. Although expensive it may be just the product you are looking for to enhance the appearance of your cover.



Dimensions of Reels (mm)


PLEASE SELECT UNDERLINED PRODUCT FOR ILLUSTRATION

Spool

Flange

Height/Width

Bore



It is very easy to get in touch with us.
 Call us at +(44) 01246 452121
 or e-mail us using the [Contact Form](#).

	Diameter		
<u>Easy Drum</u>	510	820	280
<u>MP100</u>	355	355	127
<u>MP100 Parallel/Conical</u>	355	355	127
<u>MP50</u>	355	200	36
<u>BB35</u>	255	166	33
<u>BB20</u>	200	180	30
<u>BS15</u>	300	100	50
<u>BP 4</u>	155	64	18
<u>BP 2.5</u>	140	57	18

Gauges of wire

Metric size	Wire gauge	Metres per kilo	*Recommended Thickness of Work
1.20mm	18g	113	15mm - 33mm
1.00mm	19g	162	13mm - 29mm
0.90mm	20g	200	13mm - 22mm
0.80mm	21g	253	13mm - 22mm
0.70mm	22g	331	6mm - 18mm
0.60mm	23g	451	3mm - 9mm
0.55mm	24g	536	3mm - 6mm
0.53mm	24.5g	577	2mm - 6mm
0.50mm	25g	649	2mm - 6mm
0.46mm	26g	801	Up to 2mm
0.43mm	27g	877	Up to 2mm
1.20x1.00mm	No 8	125	16mm - 50mm
1.10x0.90mm	No 7	171	14mm - 29mm
1.00x0.80mm	No 6	188	13mm - 25mm
0.90x0.60mm	No 5	271	Up to 16mm
0.90x0.55mm	No 4	288	5mm - 16 mm
0.80x0.60	No 3	322	3mm - 16 mm
0.80x0.55mm	No 2	340	2mm - 16 mm
0.80x0.50mm	No 1	362	2mm - 16 mm

*As a guide only - The recommended thickness of work also depends on the type and grade of

paper used. Further more we have a mild steel or hard quality wire to suit specific requirements